

**South Washington Watershed District
Parameters Analyzed
Water Quality Data**

<i>Parameter</i>	<i>Abbreviation</i>	<i>Units</i>
Total Suspended Solids	TSS	mg/L
Volatile Suspended Solids	VSS	mg/L
Total Kjeldahl Nitrogen	TKN	mg/L
Nitrite as Nitrogen	Nitrite	mg/L
Nitrate as Nitrogen	Nitrate	mg/L
Nitrate-Nitrite as Nitrogen	NOx	mg/L
Ammonia	NH3	mg/L
Fecal Coliform	Fecal	Colonies/100 mL
Chemical Oxygen Demand	COD	mg/L
Copper	Cu	mg/L
Nickel	Ni	mg/L
Lead	Pb	mg/L
Zinc	Zn	mg/L
Cadmium	Cd	mg/L
Chromium	Cr	mg/L
Chloride	Cl	mg/L
Hardness	Hardness	mg/L as CaCO3
Orthophosphorus	Ortho P	mg/L
Turbidity	Turbidity	NTU
Alkalinity	Alk	mg/L

Note:

Data values reported by the Washington Conservation District as "less than" a unit were presented as the unit value.

Example: < 0.0001 mg/L was presented as 0.0001 mg/L.